

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Océ	Logo
Company name *	Océ Technologies B.V.	
Contact information *	Océ-Technologies B.V. Corporate Sustainability Department PO box 101 5900 MA Venlo The Netherlands Email: sustainability@oce.com	
Internet site *	http://global.oce.com	
Additional information	http://global.oce.com/support	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	B/W cut sheet copier / printer				
Commercial name *	Océ VarioPrint 95-105-120-135				
Model number *	VarioPrint 105				
Issue date *	May 2 nd 2011				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🗌	

Model number *	VarioPrint 105		
Issue date *	May 2nd 2011	Logo	

Product	roduct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	X		
	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
P3	or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling	•		
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference).		井	-
			<u> </u>	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).		Ш	
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
DE	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		<u> </u>	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			<u></u>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	VarioPrint 105		
Issue date *	May 2nd 2011	Logo	

Product	oduct environmental attributes - Market requirements - Environmental conscious design			t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	<u> </u>
P7	Design Disassembly, recycling	_		
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\Box}$	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\Box}$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		一百	
	Product lifetime		<u> </u>	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS Material type: Material type: inner-cove	er: Poly	prop	
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		\boxtimes	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR40	\boxtimes		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR40			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 2,67 mg			
P8	Batteries			
P8.1*	Battery chemical composition: 1x CR2032 (Lithium)			
P8.2	Batteries meet the requirements of the following voluntary program/s:			-1×1

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	VarioPrint 105		
Issue date *	May 2nd 2011	Logo	

Product environmental a	environmental attributes - Market requirements (continued) Requirement me				met			
Item	· · · · · · · · · · · · · · · · · · ·				Yes	No No	n.a.	
P9 Energy consum	Energy consumption							
9.1 For the product the	1 For the product the following power levels or energy consumptions are reported:							
Energy mode *	Power level at 100 V AC	Power level at	Power level 230 V AC	at	Reference / Sta modes and test me		energy	
active	W	W	1900 W		Energy Star 1.2			
ready	W	W	290 W		Energy Star 1.2			
low power	W	W	209 W		Energy Star 1.2			
sleep	W	W	40 W		Energy Star 1.2			
off	W	W	< 1 W		Energy Star 1.2			
	W	W	W					
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W					
PTEC * Typical Energy Consumption	W	W	W					
TEC * Typical Energy Consumption	kWh/week	kWh/week	19,7 kWh/weel	k				
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar				
Display resolution* :	* : Megapixels		\boxtimes					
Print Speed * : 105 Ima	Speed * : 105 Images per minute							
Default time to enter energy s	save mode: 20 minutes							
P9.2* Information abou	the energy save function	n is provided with th	ne product.		•	\boxtimes		
ENERGY STAR® Others specify:	ts the energy requiremer version: 1.2 Tier:	nts of the following v Product category				X		
P10 Emissions	Declared according to	150 0306						
P10.1 Mode	 Declared according to Mode description 	190 9290	Declared A-weighted sound power		Declared A-v	vel $L_{p{\sf Am}}$ (dE		
			level $L_{W\mathrm{Ad}}$ (B)	Ope	rator position Desktop or Desk side (Bystander poduce (only if produce operator at	ct is not	
Idle	* stand-by (ready)		* 5,0		33			
Operation	* A4, duplex, 80gsm, 1	3sheets, staple	* 7,9		64			
Other mode								
Measured accord	· = -	ECMA-74	by ECMA 74 mill	h I	magazinara art dista-		`	
P10.2 The product mee	Other	•	•		ո measurement distar am/s՝	nce m	<i>)</i>	\square
	.2 The product meets the acoustic noise requirements of the following voluntary program/s:				1 1			

Model number *	VarioPrint 105		
Issue date *	May 2nd 2011	Logo	

Product environmental attributes - Market requirements (continued)	equire	ment	met
Item	Yes	No	n.a.
Chemical emissions from printing products			
P10.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:	\boxtimes		
P10.4 Typical emission rate (print phase) is (mg/h):			
Dust 0,6 Ozone < 0,09 *) Styrene 0,3 Benzene 0,04 TVOC 24			
*) Ozone emission is below the detection limit. The printer engine does not generate ozone.			
P10.5 Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
Dust Ozone Styrene Benzene TVOC			
Electromagnetic emissions		<u> </u>	
P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11 Consumable materials for printing products			
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3* 2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12 Ergonomics for computing products			
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13 Packaging and documentation			
P13.1* Product packaging material type(s): wood weight (kg): 26,2			
Product packaging material type(s): steel weight (kg): 10,6			
Product packaging material type(s): board weight (kg): 24,9			
Product packaging material type(s): plastic weight (kg): 3,9			
Product packaging material type(s): silica gel weight (kg): 3,3		_	_
P13.2* Product plastic packaging is free from PVC.	\boxtimes		
P13.3* Specify media for user and product documentation (tick box):			
Electronic , Paper , Other			
P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
P14 Additional information (See Note B4)			
ref P13.3 safety datasheets and safety manuals are available via http://global.oce.com/support/			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19